Town of York Application to Open Town Road/Street

Name:					
	Pr	none:		EMAIL:	
Address:	Town:		State/ZIP:		
Primary Contact/ Contractor Info	rmation · (W	rite "same" if n	rimary contact fo	r on-site work will he the a	nnlicant)
Name:			rimary contact jo		ррисши.,
Address:	Town:		State/ZIP:		
* If work is for a utility, an application		_		d to the Town (35-A MRSA	A sec. 2501-250
Proposed Work Information: (<i>To a</i> Road/Street Name:	be comptetea t	y Applicant/Co	ntractor)		
	, , , , , , , , , , , , , , , , ,				
Location of work: (roadway, shoul	der, sidewalk	, etc.	-		
Type of Work Proposed:					
Who will perform the work?					
Anticipated work Schedule:	rk Schedule: Starting Date: Completion Date:				
					<i>Notified?</i> Yes / No
			Yes / No Yes / No Yes / No Yes / No	Yes / No Yes / No Yes / No	Yes / No
	DigSa	afe#	Yes / No Yes / No Yes / No Yes / No	Yes / No Yes / No Yes / No Yes / No	Yes / No Yes / No Yes / No
sturbed Surface Area & Permit Co	DigSa	afe# ion: (To be con	Yes / No Yes / No Yes / No Yes / No mpleted by Applic	Yes / No	Yes / No Yes / No Yes / No Yes / No
	DigSa	afe#	Yes / No Yes / No Yes / No Yes / No	Yes / No Yes / No Yes / No Yes / No	Yes / No Yes / No Yes / No Yes / No
sturbed Surface Area & Permit Co Surface Type ved Surface: bituminous or Treated surface	DigSa ost Informati	afe# ion: (To be con	Yes / No Yes / No Yes / No Yes / No mpleted by Applic	Yes / No	Yes / No Yes / No Yes / No Yes / No
sturbed Surface Area & Permit Co	DigSa ost Informati	afe # ion: (To be con (A) Width	Yes / No mpleted by Applic (B) Length	Yes / No ant) Est. Area (A X B)	Yes / No
sturbed Surface Area & Permit Co Surface Type ved Surface: bituminous or Treated surfacerete Surface: Portland Cement concret	DigSa ost Informati ace/shoulders te or	afe # ion: (To be con (A) Width Ft.	Yes / No mpleted by Applic (B) Length Ft.	Yes / No ant) Est. Area (A X B) Sq. Ft.	Yes / No Permit Co
red Surface: bituminous or Treated surfacerete Surface: Portland Cement concretuminous on concrete. Other surfaces: Plain gravel surface or sa outside roadbed. ect Buried Cable: (Low-Impact installate/cable outside of the traveled way/shou	DigSa ost Information ace/shoulders te or shoulder or ion of ilder)	afe # ion: (To be con (A)Width Ft. Ft.	Yes / No mpleted by Applic (B) Length Ft. Ft.	Yes / No ant) Est. Area (A X B) Sq. Ft. Sq. Ft.	Yes / No Permit Co N/A N/A
sturbed Surface Area & Permit Consumple Surface Type Treated Surface: bituminous or Treated surface surface: Portland Cement concret suminous on concrete. Other surfaces: Plain gravel surface or surface or surfaces: Plain gravel surface or surfaces: Buried Cable: (Low-Impact installates)	DigSa ost Information ace/shoulders te or shoulder or ion of alder) pecify)	afe # ion: (To be con (A)Width Ft. Ft.	Yes / No mpleted by Applic (B) Length Ft. Ft. Ft.	Yes / No Yes / No Yes / No Yes / No ant) Est. Area (A X B) Sq. Ft. Sq. Ft. Sq. Ft.	Yes / No Yes / No Yes / No Yes / No Permit Co N/A N/A N/A N/A
red Surface: bituminous or Treated surfacerete Surface: Portland Cement concretuminous on concrete. Other surfaces: Plain gravel surface or sa outside roadbed. ect Buried Cable: (Low-Impact installate/cable outside of the traveled way/shounds in addition to replacing pavement (specific surface).	DigSa ost Information ace/shoulders te or shoulder or ion of ilder)	afe # ion: (To be con (A)Width Ft. Ft.	Yes / No mpleted by Applic (B) Length Ft. Ft. Ft.	Yes / No Yes / No Yes / No Yes / No ant) Est. Area (A X B) Sq. Ft. Sq. Ft. Sq. Ft.	Yes / No Yes / No Yes / No Yes / No Yes / No Permit Co N/A N/A N/A
red Surface: bituminous or Treated surfacerete Surface: Portland Cement concretuminous on concrete. Other surfaces: Plain gravel surface or sa outside roadbed. ect Buried Cable: (Low-Impact installate/cable outside of the traveled way/shou	DigSa ost Information ace/shoulders te or shoulder or ion of alder) pecify)	afe # ion: (To be con (A)Width Ft. Ft.	Yes / No mpleted by Applic (B) Length Ft. Ft. Ft.	Yes / No Yes / No Yes / No Yes / No ant) Est. Area (A X B) Sq. Ft. Sq. Ft. Sq. Ft.	Yes / No Yes / No Yes / No Yes / No Permit Co N/A N/A N/A N/A
red Surface: bituminous or Treated surfacerete Surface: Portland Cement concretuminous on concrete. Other surfaces: Plain gravel surface or sa outside roadbed. ect Buried Cable: (Low-Impact installate/cable outside of the traveled way/shounds in addition to replacing pavement (specific surface).	DigSa ost Information ace/shoulders te or shoulder or ion of alder) pecify)	afe # ion: (To be con (A) Width Ft. Ft. Ft.	Yes / No mpleted by Applic (B) Length Ft. Ft. Ft.	Yes / No Yes / No Yes / No Yes / No ant) Est. Area (A X B) Sq. Ft. Sq. Ft. Sq. Ft. Lin. Ft	Yes / No Yes / No Yes / No Yes / No Permit Co N/A N/A N/A N/A

duly authorized employee and representative of the utility/entity identified above ("Applicant"); b) that the information provided herein is true and accurate; c) that the Application is understood to be for a limited period (23 MRSA sec. 3351 & 3352) and that the Applicant, at its sole expense, may have to adjust, remove, or relocate its facilities in the future (35-A MRSA sec. 2504); and d) that the applicant will maintain its facilities in accordance with all applicable laws. Applicant Signature (Property Owner): Printed Name: Signature: Title: Date: Specific attention is directed to the requirement of 23 MRSA Section 3360-A, Protection of Underground Facilities (a.k.a. "The Dig Safe Law") which requires notification to various entities at least three working days prior to making an excavation. Additional information may be found at: www.digsafe.com. The applicant further agrees that, upon approval and issuance of a permit, the Department of Public Works will be notified in writing/email at least 48 hours in advance of any sort of work. Town Signature (Permit Approval): Date Received by Town: Printed Name: Signature: Title: Date: The applicant shall be responsible for maintenance of the affected area until construction is accepted by the Director of Public Works. The Applicant is further advised that a representative from the Town of York will inspect the completed work to ensure the long-term acceptability of the repairs. The Director of Public Works shall inspect the street opening any time within 2 years following completion of the permanent resurfacing by the applicant. By signing this application below, the undersigned hereby certifies that all work complies with the following requirements, as applicable: (1) all conditions specified in or attached to the highway opening permit; (2) the Town of York's Street Opening and Culvert Ordinance enacted November 6, 2012; (3) the Department of Transportation's Utility Accommodation Rule (17-229 CMR 210) when applicable; (4) all conditions of a Utility Location Permit issued (35-A MSRA 2501-2507); and (5) local ordinances and federal and state laws. In the event of a conflict between any applicable requirements, the more stringent requirement shall govern unless otherwise directed by the Town. Applicant Signature (Construction Complete): Printed Name: Signature: Title: Date: Town Signature (Construction Accepted): Date Received by Town: Signature: Printed Name:

NOTICE TO APPLICANT: By signing this application for a Street Open permit, the undersigned hereby certifies: a) that he/she is a

APPLICANT: Please make checks payable to the Town of York- DPW
. Bring application and check to the Clerk's office in Town Hall.
Note address of Street Opening on the check

Date:

Enclosures: Special Conditions

Title:

